

ABM[®]
The Stone Factory

Bianco Onyx Stone

Thickness

12 mm - 13 mm

Sizes

305 x 610

406 X 610

457 x 457

610 x 610

610 x 1220




Natural Marble Stone

Φυσικό Μάρμαρο

Marmo Naturale

天然大理石




Bianco Onyx, also known as Onice Bianco, is a rare and highly prized natural stone, quarried primarily in the historic lands of Persia, now modern-day Iran. Celebrated for its luminous translucency and delicate texture, it embodies purity, sophistication, and an ethereal beauty that elevates any interior it graces.







BIANCO VEINY



BIANCO HONEY

BIANCO ONYX

5 sizes

Veiny

Honey

305 x 610 mm

406 x 610 mm

457 x 457 mm

610 x 610 mm

610 x 1220 mm

2 thickness

12-13 mm

Grout color: White no. 1
Ice White no. 21

TECHNICAL FEATURES

Analysis	TSEN		
	analysis	Value	unit
Compressive strength	EN 1926	70	MPa
Water absorption at atmospheric pressure	EN 13755	0.4	%
Water absorption coefficient by capillarity	EN 1925	0.5	$\text{g}/(\text{m}^2 \times \text{s}^{0.5})$
Abrasion resistance	EN 14157	23.7	mm
Slip resistance pendulum tester (raw dry)	EN 14231	33.6	SRV
Slip resistance pendulum tester (raw wet)	EN 14231	11.1	SRV
Real density	EN 1936	2795	g/cm^3
Apparent density	EN 1936	2632	kg/m^3
Open porosity	EN 1936	1.0	%
Total porosity	EN 1936	5.8	%
Determination of frost resistance	EN 12371	9.2	MPa
Flexural strength under concentrated load	EN 12372	9.2	MPa
Flexural strength under constant moment	EN 13161	8.8	MPa



ABM[®]
The Stone Factory

info@abmcosmos.com
www.abmcosmos.com