



Botticino Stone

Thickness

12 mm - 13 mm

Sizes

305 x 610	406 x 812
406 x 406	475 x 914
406 x 610	610 x 914
457 x 457	610 x 1220
610 x 610	




Natural Marble Stone

Φυσικό Μάρμαρο

Marmo Naturale

天然大理石



Botticino is a timeless marble quarried in the town of Botticino and its surrounding areas in the province of Brescia, within the Lombardy region of northern Italy. Renowned for its warm, creamy tones and subtle veining, this classic stone has been cherished for centuries in both historical architecture and refined contemporary design.







BOTTICINO

BOTTICINO


9 sizes

305 x 610 mm
406 x 406 mm
406 x 610 mm
457 x 457 mm
610 x 610 mm
406 x 812 mm
475 x 914 mm
610 x 914 mm
610 x 1220 mm

2 thickness

12-13 mm

Grout color: Vanilla no. 29



TECHNICAL FEATURES

	TS EN		
Analysis	analysis	value	unit
Compressive strength	EN 1926	104.61	MPa
Water absorption at atmospheric pressure	EN 13755	0.184	%
Water absorption coefficient by capillarity	EN 1925	0.67	g/(m ² x s ^{0.5})
Abrasion resistance	EN 14157	13.20	mm
Slip resistance by means of pendulum tester (dry)	EN 14231	38.5	SRV
Slip resistance by means of pendulum tester (wet)	EN 14231	3.10	SRV
Real density	EN 1936	2.711	g/cm ³
Apparent density	EN 1936	2830	kg/m ³
Open porosity	EN 1936	0.611	%
Total porosity	EN 1936	1.35	%
Flexural strength under concentrated load	EN 12372	12.91	MPa
Flexural strength under constant moment	EN 13161	11.76	MPa









info@abmcosmos.com
www.abmcosmos.com